

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28	((("4606601") or ("4668859") or ("4878720") or ("5189545") or ("5223956") or ("5227784") or ("5293162") or ("5309212") or ("5367399") or ("5426529") or ("5757501") or ("5864391") or ("5933225") or ("6456024"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 07:01
S2	28	((("4606601") or ("4668859") or ("4878720") or ("5189545") or ("5223956") or ("5227784") or ("5293162") or ("5309212") or ("5367399") or ("5426529") or ("5757501") or ("5864391") or ("5933225") or ("6456024"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 15:45
S3	0	S2 and multi-phase dc motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:02
S4	46	multi-phase dc motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:06
S5	3	S2 and rotat\$4 same position same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:20
S6	2	356/3-22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:12
S7	0	356/3.01-3.16,4.01-4.09,5.01-5.15,6-22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:12
S8	6869	(356/3-22).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 07:12

S9	66	S8 and prisms near5 rotate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:16
S10	2597	prisms near5 rotate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:16
S11	439	prisms near5 rotate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/10/12 07:16
S12	21	S9 and rotat\$4 same position same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:32
S13	6	S9 and shaft same pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:38
S14	0	S9 and prism near5 pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:35
S15	74	S8 and shaft same pin same rotate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:38
S16	2	S9 and mounting plate same prism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 07:50

S17	6869	(356/3-22).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 15:22
S18	66	S17 and prisms near5 rotate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 15:22
S19	0	S18 and motor (mount or bracket) same bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 15:22
S20	1	S18 and motor (mount or bracket)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 15:40
S21	9	motor coil same three-phase winding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 15:27
S22	54	S17 and transmitter near4 lens and receiver near4 lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 15:40
S23	28	((("4606601") or ("4668859") or ("4878720") or ("5189545") or ("5223956") or ("5227784") or ("5293162") or ("5309212") or ("5367399") or ("5426529") or ("5757501") or ("5864391") or ("5933225") or ("6456024"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 15:46
S24	7	S23 and laser diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/12 15:46